PRECISION ENGINEERING

Index to Volume 12, 1990

No 1 January 1–64
No 2 April 65–128
No 3 July 129–192
No 4 October 193–264

Articles

1 A micro-positioning tool post using a piezoelectric actuator for diamond turning machines, *Y. Okazaki* 151

2 A piezoelectric-drive table and its application to micro-grinding of ceramic materials, *L. Mizutani, T. Kawano, Y. Tanaka* 219

3 A study on surface roughness in ion-beam machining, *T. Shima, N. Inoue* 157

4 Analysis of the R_k surface roughness parameter proposals, *R. B. Zipin* 106

5 Application of optical measurement system for lithographic process control, *K. Kato, M. Hamashima, T. Yamaguchi* 49

6 Concept for a high precision experimental laser gyroscope system 'ELSy' (laser gyro goniometry), *R. Rodloff* 67

7 Correcting scanning capacitance microscope images for the effect of surface gradient, *C. D. Bugg, P. J. King* 239

8 Design and development of a quick-stop device (QSD), *M. Satheesha, V. K. Jain, P. Kumar* 205

9 Development of precise cylindrical grinding by ball centres – contact stiffness between ball and centre hole, *T. Oiwa and A. Kyusojin* 37

10 Effect of a pulsed electromagnetic field on the surface roughness in superfinishing EDM, *Y. F. Luo, C. G. Chen* 97

11 Fabrication of tips with controlled geometry for scanning tunnelling microscopy, *I. H. Musselman, P. A. Peterson, P. E. Russell* 3

12 Grinding of highly accurate hourglass worm gears – trial manufacture of the work grinding device, *T. Oiwa, K. Kobayashi, A. Toyama* 85

13 Investigations aiming to increase electrochemical machining accuracy, *A. Ruszaj* 43

14 Investigations into machining of composites, *S. Tandon, V. K. Jain, P. Kumar, K. P. Rajurkar* 227

15 Measuring cylindrical concave surfaces with large central angles by means of a portable device, *A. Bar-Shay* 172

16 Method for measuring the dynamic transmission error in large gear hobbing machines, *H. Yagishita* 144

17 Micro electro-discharge machining using water as a working fluid 2: Narrow slit fabrication, *K. Kagaya, Y. Oishi, K. Yada* 213

18 Observations of chip producing behaviour in ultra-precision diamond machining and study on mirror-like surface generating mechanism, *S. Asai, A. Kobayashi* 137

19 On-line tool wear sensing and compensation during turning operation, *A. Sanjanwala, S. K. Choudhury, V. K. Jain* 81

20 Optical fringe subdivision with nanometric accuracy, *K. P. Birch* 195

21 Optical sources of non-linearity in heterodyne interferometers, *A. E. Rosenbluth, N. Bobroff* 7

22 Phase-shifting holographic interferometry for measuring three-component distributions of displacement vectors, *S. Kakunai, K. Iwata, R. Nagata, M. Hasegawa, S. Yamaguchi* 199

23 Piezoelectric ceramic actuators: a review of machinery applications, *T. G. King, M. E. Preston, B. J. M. Murphy, D. S. Cannell* 131

24 Prediction of microcutting force variation in ultra-precision machining, *W. B. Lee* 25

25 Small amplitude vibration compensation for precision diamond turning, *S. C. Fawcett* 91

26 Sub-micron position measurement and control on precision machine tools with laser interferometry, *C. R. Steinmetz* 12

27 Sub-nanometre transducer characterization by X-ray interferometry, *D. K. Bowen, C. G. Chetwynd, D. R. Schwarzenberger, S. T. Smith* 165

28 Tool force model development for diamond turning, *J D Drescher, T. A. Dow* 29

29 Use of response surface methodology to optimize the finish in ball-burnishing, *N. H. Loh, S. C. Tam, S. Miyazawa* 101

30 Zero-compliance aerostatic bearing for an ultra-precision machine, *H. Mizumoto, T. Matsubara, N. Hata, M. Usuki* 75

Authors

(Number refers to article number)

Asai, S. **18**
Bar-Shay, A. **15**
Birch, K. P. **20**
Bobroff, N. **21**
Bowen, D. K. **27**
Bugg, C. D. **7**
Cannell, D. S. **23**
Chen, C. G. **10**
Chetwynd, C. G. **27**
Choudhury, S. K. **19**
Dow, T. A. **28**
Drescher, J. D. **28**
Fawcett, S. C. **25**
Hamashima, M. **5**
Hasegawa, M. **22**
Hata, N. **30**
Inoue, N. **3**
Iwata, K. **22**
Jain, V. K. **8, 14, 19**
Kagaya, K. **17**
Kakunai, S. **22**
Kato, K. **5**
Kawano, T. **2**
King, P. J. **7**
King, T. G. **23**
Kobayashi, A. **18**
Kobayashi, K. **12**
Kumar, P. **8, 14**
Kyusojin, A. **9**
Lee, W. B. **24**
Loh, N. H. **29**
Luo, Y. F. **10**
Matsubara, T. **30**
Miyazawa, S. **29**
Mizumoto, H. **30**
Mizutani, L. **2**
Murphy, B. J. M. **23**
Musselman, I. H. **11**
Nagata, R. **22**
Oishi, Y. **17**
Oiwa, T. **9, 12**
Okazaki, Y. **1**
Peterson, P. A. **11**
Preston, M. E. **23**
Rajurkar, K. P. **14**
Rodloff, R. **6**
Rosenbluth, A. E. **21**
Russell, P. E. **11**
Ruszaj, A. **13**
Sanjanwala, A. **19**
Satheesha, M. **8**
Schwarzenberger, D. R. **27**
Shima, T. **3**
Smith, S. T. **27**
Steinmetz, C. R. **26**
Tam, S. C. **29**
Tanaka, Y. **2**
Tandon, S. **14**
Toyama, A. **12**
Usuki, M. **30**
Yada, K. **17**
Yagishita, H. **16**
Yamaguchi, S. **22**
Yamaguchi, T. **5**
Zipin, R. B. **4**

Keywords

(Number refers to article number)

actuators, **2, 22, 23**
aerostatic bearings, **30**
alignment, **5**
angle dividing standards, **12**
angular measurement, **6**
ball burnishing, **29**
bearing ratio curve, **4**
calibration, **20, 27**
chips, **18**
closed-loop servo systems, **1**
composites, **14**
contact stiffness, **9**
crystalline materials, **24**
cutting edges, **18**
cutting forces, **24**
cutting, **8, 14**
cylindrical grinding, **9**
diamond machining, **18**
diamond tools, **18**
diamond turning, **1, 25, 28**
dimensional accuracy, **19**
discharge energy, **10**
displacement vectors, **22**
drilling, **14**
dynamic transmission error, **16**
electro-discharge machining, **17**
electrochemical etching, **11**
electrochemical machining, **13, 14**
error budgets, **26**
error correction, **7, 25**
finishing, **13**
frequency mixing, **21**
fringe counting, **20**
fringe interpolation, **22**
fringes, **20**
gear hobbing machines, **16**
goniometers, **6**
grinding, **12**
grinding ceramics, **2**
groove formation, **2**
half-bore measurements, **15**
holographic interferometry, **22**
in-process monitoring, **25**
instrument tips, **11**
interferometry, **21, 26**
ion milling, **3**
ion sputtering, **3**
ion-beam machining, **3**
large central angle, **15**
laser gyroscopes, **6**
laser scanning, **5**
linewidth measurement, **5**
lithography, **5**
machining accuracy, **13**
machining, **24**
materials properties, **24**
micro patterns, **1**
micro-positioning, **1, 2**
microdisplacement measurement, **27**
misalignment, **9**
nanometric accuracy, **20**
narrow slit fabrication, **17**
non-linearities, **21**
notch filters, **1**
optical measurement, **5**
piezoelectric devices, **23**
platinum/iridium, **11**
pneumatic feedback systems, **19**
polarization mixing, **21**
position measurement lasers, **26**
pulsed electromagnetic fields, **10**
PZT actuators, **1, 23**
quick-stop devices, **8**
resolutions, **2**
response surface methodology, **29**
roundness, **9**
scanning capacitance microscopy, **7**
scanning tunnelling microscopy, **11**
servo-accelerometers, **16**
shear angle, **18**
shear deformation zones, **8**
SKD-1, **3**
steady-state cutting, **28**
stiffness, **2**
super-precision metrology, **27**
superfinishing EDM, **10**
surface contact reactions, **15**
surface finish, **2, 25, 29**
surface measurement, **7**
surface profiles, **4**
surface roughness, **3, 4, 10**
tool force measurement, **28**
tool posts, **1**
tool wear sensing, **19**
tool wear, **28**
tungsten, **11**
turning, **19**
ultra-precision machine tools, **30**
vibration compensation, **25**
working fluids, **17**
worm gears, **12**
X-ray interferometry, **27**
zero compliance, **30**

Precis

News

Accurate read-out over 6 m 123
Air bearings used in optical polishing machine 117
Atomic force microscope for 3-D resolution 123
Automatic STM for areas up to $10 \times 10\ \mu m$ 56
British Measurement and Testing Association 183
Brochure describes fluid film bearings and applications 55
CMM design reduces vertical error movement 60
CMM spans aircraft wings up to 18 m long 116
CMM touch probe has ceramic spindle 186

CMM uses CCD for PCB measurement 57
CNC machine accuracy improved by error compensation system 257
CNC slantbed lathe has hydrostatic spindle and slide guideways 118
Compact CMM has good thermal stability 188
Conference on metrology and properties of engineering surfaces 183
Diamond machining centre for optical materials 251
Diamond turning machine for visible light optics 61
Display unit is a computer for EDMs 61
EDM has capability for good surface finish 187
Encoder's thermal expansion matches workpiece's 187
Force microscope for non-conducting surfaces 123
Form Talysurf is a modular system 56
Gauging system checks valve dimensions 118
Gauging system for use in FMS grinding cells 124
Graphics display for capacitive-based system 122
Grinder uses in-process electrolytic dressing 62
Grinding machine for internal and external profiles 126
Improved finishing to increase bearing life 126
Internal and external cylindrical grinding machine 256
Linear encoder permits measuring steps to 10 nm 183
Linear encoders have sub-micrometre accuracies 57
Measurement of non-repetitive runout 250
Microscope gives microarea analysis 126
NAMAS accredited standards laboratory opened 254
Nanotechnology symposium includes Yoshida debriefing 187
1990 ASPE meeting to be held in Rochester 60
Non-contact measurement system for delicate surfaces 55
Optical diffractometer for surface roughness analysis 256
Optical profile grinding machine has enhanced specification 124
Pneumatic probe developed for precision surface measurement 189
Positioning tables have piezoelectric elements 188
Precision Engineering advisory editor wins award 118
Proposal for Institute of Materials 187
Rail tables can have long travel 188
Rotary encoders 254
Roundness geometry measured to $\pm 0.03\ \mu m$ 251
Showroom, training centre and calibration laboratory 250
Skidless profilometer measures surface texture 255
Step height profiler has 0.1 nm resolution 255
Support programme for 'microengineering' in FRG 122
Surface engineering research to be exploited 57
Surface texture instrument to fit pocket 61
System for surface texture measurement 124
TEM has cold field emission source 62
Tetraform's first results 254
Texture analyser has long scan length 62
Thin film monitor measures thicknesses to 2 nm 186
Ultrasonic system for cleaning space telescope lens 60
Video shows grinding wheel techniques 62

Conference Reports

1989 Nanotechnology Forum, 13 September 1989, London, UK, 112
Fifth International Precision Engineering Seminar and Annual Meeting of the American Society for Precision Engineering, 18–22 September 1989, Monterey, CA, USA, 109
Sub-Surface Damage, 31 May 1990, London, UK, 248

Book Reviews

Balancing of High Speed Machinery, M. S. Darlow 115
Dynamics of Rotor-bearing Systems, M. J. Goodwin 247
Introduction to Measurement Science and Engineering, P. H. Sydenham, N. H. Hancock and R. Thorn 246
Metrology and Properties of Engineering Surfaces 1988, Edited by K. J. Stout and T. V. Vorbuger 181
Precision Engineering: An Evolutionary View, C. Evans 180
Principles of Modern Optical Systems, I. Andonovic and D. Uttamchandani 113
Vibrations and Control Systems, C. F. Beards 114

Reprints

Reprints of all articles in this journal are available in quantities of 100 or more.

Reprints are essential —

for the company that wants to distribute impartial comment on its activities to potential customers and clients.
for the company that wants to up-date its technical staff on new techniques and new technologies.

For full details of prices and availability of reprints, please write to:

The Reprint Department, PO Box 63, Westbury House, Bury Street, Guildford, Surrey, GU2 5BH.